

All anchors within the website link to the beginning of that page, unless specified



URL flat annotations are provided at first mention

FDA APPROVED 16 Years & Up AUTHORIZED USE 12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA APPROVED for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020, the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 of years and older. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine, and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct, with certain differences that do not impact safety or effectiveness.

STAY INFORMED CDC VACCINE FINDER* SHARE THE NEWS

COMIRNATY®

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)

Drives to page 7

Drives to page 6

Drives to page 57

Drives to https://labeling.pfizer.com/ShowLabeling.aspx?id=15623&format=pdf

Drives to page 14

Drives to page 10

Drives to https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html

Persistent ISI is available at bottom of every page

Expands when clicked



FDA APPROVED

AUTHORIZED USE

Collapses when
clicked

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

Indication & Authorized Use

- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Important Safety Information

- chest pain
- shortness of breath
- feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

GLOBAL: Drives to <https://vaers.hhs.gov/reportevent.html>

GLOBAL: Drives to <https://labeling.pfizer.com/ShowLabeling.aspx?id=15623&format=pdf>

GLOBAL: Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=14472&format=pdf>

GLOBAL: Drives to <http://pfizersafetyreporting.com>



APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

[Report an Adverse Event to VAERS*](#)

[Report an Adverse Event to Pfizer](#)

Drives to <https://vaers.hhs.gov/reportevent.html>

Drives to <https://www.pfizersafetyreporting.com/#/en>

COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA APPROVED for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020 the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 of years and older. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct with certain differences that do not impact safety or effectiveness.

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS



Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner



FDA APPROVED
16 Years & Up

AUTHOR
12 Year

English

Updates to non-English Fact Sheet may be delayed.

Español

COMIRNATY® (COVID-19 Vaccine, mRNA) is
FDA APPROVED
for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020 the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 of years and older. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct with certain differences that do not impact safety or effectiveness.

- STAY INFORMED
- CDC VACCINE FINDER*
- SHARE THE NEWS



Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=14472&format=pdf>



<http://labeling.pfizer.com/ShowLabeling.aspx?id=15156>
link will be active once Spanish translations are available.

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020 the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 of years and older. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct with certain differences that do not impact safety or effectiveness.

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS

 **COMIRNATY®**
(COVID-19 Vaccine, mRNA)



Important Safety Information and Indication & Authorized Use

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)

- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call [1-800-822-7967](tel:1-800-822-7967). In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling [1-800-438-1985](tel:1-800-438-1985).

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and

- prevent COVID-19 in individuals 12 through 15 years, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source – meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the Internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**
- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.



**Call your healthcare provider
for any additional questions**

**General Product Inquiries
Call [1-877-829-2619](tel:1-877-829-2619).**

VISIT [CDC.GOV*](https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html)

Drives to [https://
www.cdc.gov/
coronavirus/2019-
ncov/vaccines/
index.html](https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html)

FDA-CBER-2021-5683-0950955



For More Information

Call your healthcare provider for any additional questions

General Product Inquiries
Call [1-877-829-2619](tel:1-877-829-2619).

Medical Information
Visit [PfizerMedicalInformation.com](https://www.pfizermedicalinformation.com)
or call [1-800-438-1985](tel:1-800-438-1985).

Drives to <https://www.pfizermedicalinformation.com/en-us/patient/pfizer-biontech-covid-19-vaccine?tab=pi>

VISIT [CDC.GOV*](https://www.cdc.gov)

Learn more about the COVID-19 vaccination on the Centers for Disease Control and Prevention COVID-19 page.

**This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.*



Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

Manufactured by
Pfizer Inc.
New York, NY 10017

[Terms of Use](#) | [Privacy Policy](#) | [Contact Us](#)

© 2021 Pfizer Inc. All rights reserved. PP-CVV-USA-0349-01

GLOBAL: Drives to
<https://www.pfizer.com/general/terms>

GLOBAL: Drives to
<https://www.pfizer.com/Privacy>

GLOBAL: Drives to page
<https://www.pfizer.com/contact>

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is
FDA APPROVED
for 16 years old & up

pop up appears
when clicking on
"Stay Informed"

Sign up and stay in touch! X


*Required fields

*First Name *Last Name

*Email

*I agree to receive communications from Pfizer and/or parties acting on its behalf containing information and updates about COVID-19 and COMIRNATY® (COVID-19 Vaccine, mRNA).

SIGN UP



STAY INFORMED

CDC VAC

COMIRNATY®
(COVID-19 Vaccine, mRNA)

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is
FDA APPROVED
for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also

On December 11, 2020 the US Food and Drug Administration approved the Pfizer-BioNTech COVID-19 Vaccine to prevent and treat COVID-19. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA) is also

*The licensed COMIRNATY® vaccine has the same formulation as the Pfizer-BioNTech COVID-19 Vaccine. The products can be used interchangeably to provide the same level of protection. The products are legally distinct with certain differences.

STAY INFORMED

CDC VACCINES

COMIRNATY®
(COVID-19 Vaccine, mRNA)

Sign up and stay in touch! ✕


*Required fields

*First Name *Last Name

*Email

*I agree to receive communications from Pfizer and/or parties acting on its behalf containing information and updates about COVID-19 and COMIRNATY® (COVID-19 Vaccine, mRNA).

SIGN UP



Drives to page 13



Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner





FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is
FDA APPROVED
for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also

On December 11, 2020 the US Food and Drug Administration (FDA) approved the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA) was approved for use in individuals 12 years of age and older.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized use product. The products can be used interchangeably to provide the same level of protection. The products are legally distinct with certain differences.

STAY INFORMED

CDC VACCINES

COMIRNATY®
(COVID-19 Vaccine, mRNA)

Sign up and stay in touch!



*Required fields

*First Name
First


*Last Name
Last

*Email
example.email@gmail.com

*I agree to receive communications from Pfizer and/or parties acting on its behalf containing information and updates about COVID-19 and COMIRNATY® (COVID-19 Vaccine, mRNA).

Please fill out the required field(s).

SIGN UP



Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner





FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020 the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 of years and older. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series. However, there are certain differences that may cause concerns. The products are legally distinct with certain differences that do not affect the safety and efficacy of the vaccine.

Thanks for signing up!

STAY INFORMED

CDC VACCINE FINDE

COMIRNATY®
(COVID-19 Vaccine, mRNA)

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

Share the news



Know someone who hasn't been vaccinated yet? Let them know that COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA approved for individuals 16 years of age and older.

*Required Fields

*Your Name

*Your email address

*Your friend's email address

Send me a copy of this email

Please fill out required field(s).

The personal information you provide will be used to deliver the specific information you have requested.

Personal information will not be retained by Pfizer. No further emails will be sent to you and your friend, unless either of you opts in to receive ongoing communications from Pfizer.

SHARE

pop up appears
when clicking on
"Share the News"

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

Share the news



Know someone who hasn't been vaccinated yet? Let them know that COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA approved for individuals 16 years of age and older.

*Required Fields

*Your Name

Example Name

*Your email address

example.email@gmail.com

*Your friend's email address

example.email2@gmail.com

Send me a copy of this email

Please fill out required field(s).

The personal information you provide will be used to deliver the specific information you have requested.

Personal information will not be retained by Pfizer. No further emails will be sent to you and your friend, unless either of you opts in to receive ongoing communications from Pfizer.

SHARE

Drives to page 22

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

Share the news



Know someone who hasn't been vaccinated yet? Let them know that COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA approved for individuals 16 years of age and older.

*Required Fields

*Your Name

*Your email address

*Your friend's email address

Send me a copy of this email

Please fill out required field(s).

The personal information you provide will be used to deliver the specific information you have requested.

Personal information will not be retained by Pfizer. No further emails will be sent to you and your friend, unless either of you opts in to receive ongoing communications from Pfizer.

SHARE

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner



From: Pfizer <NoReply@pfizer.com>

Date: Friday, August 27, 2021 at 12:25 AM

To: (b) (6)

Subject: (b) (6) wants to share news about the Pfizer-BioNTech COVID-19 Vaccine with you

(b) (6) wanted you to know the news!

The Pfizer-BioNTech COVID-19 Vaccine is also known as COMIRNATY® (COVID-19 Vaccine, mRNA).*

COMIRNATY® is FDA approved for individuals 16 years of age and older.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct with certain differences that do not impact safety or effectiveness.

[Learn more about COMIRNATY®](#)

Drives to <https://www.comirnaty.com>

If you haven't been vaccinated yet, [find a vaccine near you](#)*

*This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.

Drives to <https://www.vaccines.gov>

Important Safety Information and Indication & Authorized Use

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis

(inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain

- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov> or call [1-800-822-7967](tel:1-800-822-7967). In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling [1-800-438-1985](tel:1-800-438-1985).

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of

Drives to <https://labeling.pfizer.com/ShowLabeling.aspx?id=15623&format=pdf>

Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=14472&format=pdf>

immunocompromise

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY[®] (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY[®] (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner. For these authorized uses, the vaccine has not been approved or licensed.

Please do not respond to this e-mail. This informational email was sent to you in response to your friend's request. Your personal information has not been stored and your e-mail address will not be shared with any third parties. You have not been signed up to receive further information. If you would like to sign-up, please visit [Comirnaty.com](https://www.comirnaty.com). If you would like to get in touch with Pfizer, visit the [Contact Us](#) page or call [1-800-879-3477](tel:1-800-879-3477).

View the Pfizer Privacy Policy [here](#).

Pfizer
P.O. Box 29387

Mission, KS 66201

This advertisement is intended for U.S. residents only. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.

Vaccination providers must report Adverse Events in accordance with the Fact Sheet to VAERS online at <https://vaers.hhs.gov/reportevent.html> For further assistance with reporting to VAERS call [1-800-822-7967](tel:1-800-822-7967). The reports should include the words "Pfizer-BioNTech COVID-19 Vaccine EUA" in the description section of the report.

To the extent feasible, report adverse events to Pfizer Inc. at <http://www.pfizersafetyreporting.com> (or by calling [1-800-438-1985](tel:1-800-438-1985)) or by providing a copy of the VAERS form to Pfizer Inc.

BIONTECH

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

PFIZER

Manufactured by
Pfizer Inc.
New York, NY 10017

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

View the Pfizer Privacy Policy [here](#).

Drives to <https://www.pfizer.com/Privacy>

© 2021 Pfizer Inc. All rights reserved.
PP-CVV-USA-0349-02



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is **FDA APPROVED** for 16 years old & up

COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020 the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 of years and older. On August 23, 2021, COMIRNATY® (vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine and the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series with certain concerns. The products are legally distinct with certain differences that do not

pop up appears when clicking on "share" (page 15)

Thanks for sharing! X

STAY INFORMED

CDC VACCINE FINDER*



Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner




FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is
FDA APPROVED
for 16 years old

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.
On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA) was granted Emergency Use Authorization (EUA) for the prevention of COVID-19 in individuals 16 years of age and older.

*The licensed COMIRNATY® vaccine and the products can be used interchangeably. Please refer to the prescribing information for more details. The products are legal in the United States.

✕

You are now leaving the website.

Links to other websites are provided as a convenience to the viewer. Pfizer accepts no responsibility for the content of linked sites.

ContinueCancel

Pop up appears when clicking on a URL that leaves the site

Continue Cancel

Drives to either:
<https://vaers.hhs.gov>
<https://www.vaccines.gov>
<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html>

- STAY INFORMED
- CDC VACCINE FINDER*
- SHARE THE NEWS



Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner



FDA APPROVED
16 Years & Up


AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is
FDA APPROVED
for 16 years old

COMIRNATY® (COVID-19

On December 11, 2020 th
the Pfizer-BioNTech CO

pop up appears
when clicking on
Report an Adverse
Event to Pfizer



You are being redirected to report an adverse event to Pfizer.

Continue
Cancel

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS

Drives to <https://www.pfizersafetyreporting.com/#/en>

COMIRNATY®
(COVID-19 Vaccine, mRNA)

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

Call your healthcare provider for any additional questions

For More

tion on the
tion COVID-

You are being redirected to the Pfizer Medical Information website for Patients and Caregivers.

Continue Cancel

pop up appears when clicking on Visit PfizerMedicalInformation.com

Drives to https://www.pfizermedicalinformation.com/en-us/patient/pfizer-biontech-covid-19-vaccine

BIONTECH



[Terms of Use](#) | [Privacy Policy](#) | [Contact Us](#)

© 2021 Pfizer Inc. All rights reserved. PP-CVV-USA-0349-01

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany

Manufactured by
Pfizer Inc.
New York, NY 10017

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

The page you're trying to reach is unavailable, or it may no longer exist.

Error page will appear when users click on non-existent link

Go to the homepage

Drives to page 1

Important Safety Information and Indication & Authorized Use

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)

BIONTECH 

FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED
for 16 years old & up

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS

All annotations on desktop apply to mobile

 **COMIRNATY®**
(COVID-19 Vaccine, mRNA)

All mobile content reflects a responsive design to desktop

Persistent ISI on every page in mobile

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

FDA-CBER-2021-5683-0950974

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call [1-800-822-7967](tel:1-800-822-7967). In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling [1-800-438-1985](tel:1-800-438-1985).

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

BIONTECH

[Report an Adverse Event to VAERS*](#)

[Report an Adverse Event to Pfizer](#)

FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED for 16 years old & up

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS

 **COMIRNATY**[®]
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

FDA-CBER-2021-5683-0950976

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

BIONTECH

FDA APPROVED
16 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA)

FDA APPROVED

for 16 years old & up



[English](#)

Updates to non-English
Fact Sheet may be delayed.



[Español](#)

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS

 **COMIRNATY®**
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up


COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED for 16 years old & up

STAY INFORMED

CDC VACCINE FINDER*

SHARE THE NEWS



COMIRNATY® (COVID-19 Vaccine, mRNA) is also known as Pfizer-BioNTech COVID-19 Vaccine*

On December 11, 2020, the US Food and Drug Administration (FDA) authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 years of age and older. On August 23, 2021, COMIRNATY® (COVID-19 Vaccine, mRNA)* received FDA approval.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine, and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct, with certain differences that do not impact safety or effectiveness.

Important Safety Information and Indication & Authorized Use

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Indication & Authorized Use

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer and BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source - meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the Internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**
- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.

For More Information

Call your healthcare provider for any additional questions

General Product Inquiries

Call 1-877-829-2619.

Medical Information

Visit PfizerMedicalInformation.com

or call 1-800-438-1985.

VISIT CDC.GOV*

Learn more about the COVID-19 vaccination on the Centers for Disease Control and Prevention COVID-19 page.

***This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.**

Manufactured for BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

Manufactured by Pfizer Inc.
New York, NY 10017

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

© 2021 Pfizer Inc. All rights reserved.

PP-CVV-USA-0349-01

[Terms of Use](#)

[Privacy Policy](#)

[Contact Us](#)

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.

Sign up and stay in touch!



*Required fields

*First Name

*Last Name

*Email

*I agree to receive communications from Pfizer and/or parties acting on its behalf containing information and updates about COVID-19 and COMIRNATY® (COVID-19 Vaccine, mRNA).

COMIRNATY
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

Sign up and stay in touch!



*Required fields

*First Name

First

*Last Name

Last

*Email

example.email@gmail.com



*I agree to receive communications from Pfizer and/or parties acting on its behalf containing information and updates about COVID-19 and COMIRNATY® (COVID-19 Vaccine, mRNA).

COMIRNATY
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

FDA-CBER-2021-5683-0950980

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

Sign up and stay in touch!



*Required fields

*First Name

First

*Last Name

Last

*Email

example.email@gmail.com

*I agree to receive communications from Pfizer and/or parties acting on its behalf containing information and updates about COVID-19 and COMIRNATY® (COVID-19 Vaccine, mRNA).

COMIRNATY
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

FDA-CBER-2021-5683-0950981

BIONTECH



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED
for 16 years old & up

STAY INFORMED



**Thanks for signing
up!**

 **COMIRNATY®**
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

FDA-CBER-2021-5683-0950982

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

Share the news



Know someone who hasn't been vaccinated yet? Let them know that COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA approved for individuals 16 years of age and older.

*Required Fields

*Your Name

*Your email address

*Your friend's email address

Send me a copy of this email

Please fill out required field(s).

The personal information you provide will be used to deliver the specific information you have requested.

Personal information will not be retained by Pfizer. No further emails will be sent to you and your friend, unless either of you opts in to receive ongoing communications from Pfizer.

SHARE

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

FDA-CBER-2021-5683-0950983

Share the news



Know someone who hasn't been vaccinated yet? Let them know that COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA approved for individuals 16 years of age and older.

*Required Fields

*Your Name

Example Name

*Your email address

example.email@gmail.com

*Your friend's email address

example.email2@gmail.com

Send me a copy of this email

Please fill out required field(s).

The personal information you provide will be used to deliver the specific information you have requested.

Personal information will not be retained by Pfizer. No further emails will be sent to you and your friend, unless either of you opts in to receive ongoing communications from Pfizer.

SHARE

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

FDA-CBER-2021-5683_0950984

Share the news



Know someone who hasn't been vaccinated yet? Let them know that COMIRNATY® (COVID-19 Vaccine, mRNA) is FDA approved for individuals 16 years of age and older.

*Required Fields

*Your Name

*Your email address

*Your friend's email address

Send me a copy of this email

Please fill out required field(s).

The personal information you provide will be used to deliver the specific information you have requested.

Personal information will not be retained by Pfizer. No further emails will be sent to you and your friend, unless either of you opts in to receive ongoing communications from Pfizer.

SHARE


Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

FDA-CBER-2021-5683-0950985



From: Pfizer <NoReply@pfizer.com>
Date: Friday, August 27, 2021 at 12:25 AM
To: (b) (6)
Subject: (b) (6) wants to share news about the Pfizer-BioNTech COVID-19 Vaccine with you


(b) (6) wanted you to know the news!


The Pfizer-BioNTech COVID-19 Vaccine is also known as COMIRNATY® (COVID-19 Vaccine, mRNA).*

COMIRNATY® is FDA approved for individuals 16 years of age and older.

*The licensed COMIRNATY® vaccine has the same formulation as the authorized vaccine Pfizer-BioNTech COVID-19 Vaccine and the products can be used interchangeably to provide the vaccination series without presenting any safety or effectiveness concerns. The products are legally distinct with certain differences that do not impact safety or effectiveness.

[Learn more about COMIRNATY®](#)





[Learn more about COMIRNATY®](#)

If you haven't been vaccinated yet, [find a vaccine near you](#)*

*This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.


Important Safety Information and Indication & Authorized Use


You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside






of the heart muscle) or pericarditis (inflammation of the lining outside the heart)


- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few






usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination

- Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
- If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose





following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:

- chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling;



Verizon 1:51 AM 100%
2 Messages
< 72 [EXTERNAL] FW: (b) (6) wan... ^ v


fever; injection site swelling;
injection site redness; nausea;
feeling unwell; swollen lymph
nodes (lymphadenopathy);
diarrhea; vomiting; arm pain

- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://>






Prevention (CDC). Visit <https://vaers.hhs.gov> or call [1-800-822-7967](tel:1-800-822-7967). In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling [1-800-438-1985](tel:1-800-438-1985).


Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Indication & Authorized Use

COMIRNATY[®] (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for





(EUA) to be administered for emergency use to:

- prevent COVID-19 in individuals 12 through 15 years, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise


The FDA-approved COMIRNATY[®] (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same



Verizon 1:51 AM 100%
2 Messages
< 72 [EXTERNAL] FW: (b) (6) wan... ^ v

COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is




Verizon 1:51 AM 100%
2 Messages
< 72 [EXTERNAL] FW: (b) (6) wan... ^ v


of the FD&C Act unless the declaration is terminated or authorization revoked sooner. For these authorized uses, the vaccine has not been approved or licensed.

Please do not respond to this e-mail. This informational email was sent to you in response to your friend's request. Your personal information has not been stored and your e-mail address will not be shared with any third parties. You have not been signed up to receive further information. If you would like to sign-up, please visit [Comirnaty.com](https://www.comirnaty.com). If you would like to get in touch with Pfizer, visit the [Contact Us](#) page or call [1-800-879-3477](tel:1-800-879-3477).

View the Pfizer Privacy Policy [here](#).

Pfizer
P.O. Box 29387
Mission, KS 66201





View the Pfizer Privacy Policy [here](#).

Pfizer
P.O. Box 29387
Mission, KS 66201

This advertisement is intended for U.S. residents only. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.

Vaccination providers must report Adverse Events in accordance with the Fact Sheet to VAERS online at <https://vaers.hhs.gov/reportevent.html> For further assistance with reporting to VAERS call [1-800-822-7967](tel:1-800-822-7967). The reports should include the words "Pfizer-BioNTech COVID-19 Vaccine EUA" in the description section of the report.

To the extent feasible, report adverse events to Pfizer Inc. at <http://>



Verizon 1:51 AM 100%
2 Messages
< 72 [EXTERNAL] FW: (b) (6) wan... ^ v

To the extent feasible, report adverse events to Pfizer Inc. at <http://www.pfizersafetyreporting.com> (or by calling [1-800-438-1985](tel:1-800-438-1985)) or by providing a copy of the VAERS form to Pfizer Inc.

BIONTECH

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder


PFIZER

Manufactured by
Pfizer Inc.
New York, NY 10117

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

View the Pfizer Privacy Policy [here](#).





BIONTECH

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

PFIZER

Manufactured by
Pfizer Inc.
New York, NY 10017

The PfizerBioNTech COVID-19 Vaccine,
which is based on BioNTech proprietary
mRNA technology, was developed by
both BioNTech and Pfizer.

View the Pfizer Privacy Policy [here](#).

© 2021 Pfizer Inc. All rights reserved.
PP-CVV-USA-0349-02

See More



BIONTECH



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

COMIRNATY® (COVID-19 Vaccine, mRNA) is

FDA APPROVED
for 16 years old & up

STAY INFORMED

Thanks for sharing!



COMIRNATY®
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredients of this vaccine

FDA-CBER-2021-5683-0950999

BIONTECH



You are now leaving the website.

Links to other websites
are provided as a
convenience to the
viewer. Pfizer accepts no
responsibility for the
content of linked sites.

Continue

Cancel

COMIRNATY
(COVID-19 Vaccine, mRNA)

Important Safety Information



You should **not** get the Pfizer-BioNTech
COVID-19 Vaccine if you:

- had a severe allergic reaction after a
previous dose of this vaccine
- had a severe allergic reaction to any
ingredient of this vaccine

BIONTECH

[Report an Adverse Event to VAERS](#)

[Report an Adverse Event to Pfizer](#)



You are being
redirected to report
an adverse event to
Pfizer.

Continue

Cancel

 **COMIRNATY**[®]
(COVID-19 Vaccine, mRNA)

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

FDA-CBER-2021-5683-0951001

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any

Call your healthcare provider
for any additional questions

General Product Inquiries



You are being
redirected to the
Pfizer Medical
Information website
for Patients and
Caregivers.

Continue

Cancel

page.

**This website is neither owned nor
controlled by Pfizer. Pfizer does not
endorse and is not responsible for the*

Important Safety Information



You should **not** get the Pfizer-BioNTech
COVID-19 Vaccine if you:

- had a severe allergic reaction after a
previous dose of this vaccine
- had a severe allergic reaction to any


FDA-CBER-2021-5683-0951002



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The page you're trying to reach is unavailable, or it may no longer exist.

 [Go to the homepage](#)

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine

FDA-CBER-2021-5683-0951003

Drives to page 66

FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.


Drives to page 65

Drives to page 1

Drives to <https://labeling.pfizer.com/ShowLabeling.aspx?id=15623&format=pdf>

CDC VACCINE FINDER*

Drives to <https://www.vaccines.gov>



What you need to know about the vaccine

Frequently Asked Questions

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

Persistent ISI is available at bottom of every page

Expands when clicked





FDA APPROVED

AUTHORIZED USE

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

Collapses when clicked



FDA APPROVED

AUTHORIZED USE

emergency use to:

- prevent COVID-19 in individuals 12 through 15 years, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Drives to <https://labeling.pfizer.com/ShowLabeling.aspx?id=15623&format=pdf>

Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=14472&format=pdf>



VED
Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.


CDC VACCINE FINDER*

[Report an adverse event to VAERS*](#)

[Report an adverse event to Pfizer](#)

Drives to <https://vaers.hhs.gov/reportevent.html>

Drives to <https://www.pfizersafetyreporting.com/#/en>



What you need to know about the vaccine

Frequently Asked Questions

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner





FDA APPROVED
16 Years & Up

ED USE
& Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

CDC VACCINE FINDER*

Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=14472&format=pdf>

English

Updates to non-English Fact Sheet may be delayed.

Español

<http://labeling.pfizer.com/ShowLabeling.aspx?id=15156>

link will be active once Spanish translations are available.

What you need to know about the vaccine

Frequently Asked Questions

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

CDC VACCINE FINDER*



What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Drives to <https://vaers.hhs.gov/reportevent.html>

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.



REPORT AN ADVERSE EVENT TO VAERS

FDA-CBER-2021-5683-0951009



REPORT AN ADVERSE EVENT TO PFI

adequate, approved, and available alternatives."

Getting Your Vaccine

What if I am immunocompromised?

What should you mention to your vaccination provider before you get the vaccine?

Getting Ready for Your Second Dose

When do I receive my second dose of the vaccine?

What if the second dose cannot be provided at 3 weeks (21 days)?

Are the Pfizer-BioNTech COVID-19 Vaccine and COMIRNATY® interchangeable with other COVID-19 vaccines?

Knowing More About the Vaccine

Will the vaccine give me COVID-19?

What are the risks of the vaccine?

All accordions in section expand

Opens individual question

[Open all](#)

[Open all](#)

[Open all](#)

[REPORT AN ADVERSE EVENT TO PFIZER](#)

[FACT SHEET FOR RECIPIENTS AND CAREGIVERS](#)

- Patients should always ask their doctors for medical advice about adverse events.
- You are encouraged to report negative side effects of vaccines to the U.S. Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov/reportevent.html> or call 1-800-822-7967.

Drives to <https://www.pfizersafetyreporting.com/#/en>

What should I do about side effects?



Who should not get the vaccine?



What are the ingredients in the vaccine?



Is there preservative in the vaccine?



Are the components of the vaccine vial made with latex?



How did Pfizer ensure diversity in conducting the vaccine clinical trial?



Where can I learn more?



Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:

- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

FDA-CBER-2021-5683-0951013

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source – meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the Internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**
- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.

For more information

General Product Inquiries

Call [1-877-829-2619](tel:1-877-829-2619).

Medical Information

Visit [PfizerMedicalInformation.com](https://www.pfizer.com/medicalinformation)

or call [1-800-438-1985](tel:1-800-438-1985).

FDA-CBER-2021-5683-0951014


For more information

Drives to page
<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html>

General Product Inquiries
Call [1-877-829-2619](tel:1-877-829-2619).

Medical Information
Visit [PfizerMedicalInformation.com](https://www.pfizermedicalinformation.com)
or call [1-800-438-1985](tel:1-800-438-1985).

Drives to <https://www.pfizermedicalinformation.com/en-us/patient/pfizer-biontech-covid-19-vaccine?tab=pi>

 **VISIT CDC.GOV***

Learn more about COVID-19 vaccination on the Centers for Disease Control and Prevention (CDC) website.

**This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.*

BIONTECH



Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

Manufactured by
Pfizer Inc.
New York, NY 10017

Drives to <https://www.pfizer.com/general/terms>

Drives to <https://www.pfizer.com/Privacy>

Drives to <https://www.pfizer.com/contact>

[Terms of Use](#) | [Privacy Policy](#) | [Contact Us](#)

© 2021 Pfizer Inc. All rights reserved. PP-CVV-USA-0349-01

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

[CDC VACCINE FINDER*](#)



What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.

[REPORT AN ADVERSE EVENT TO VAERS](#)

FDA-CBER-2021-5683-0951016

[REPORT AN ADVERSE EVENT TO PFIZER](#)

Getting Your Vaccine

All accordions in section collapse

[Close all](#)

What if I am immunocompromised?

Opens individual question

According to the Emergency Use Authorization Fact Sheet for Recipients and Caregivers, if you are immunocompromised, you may receive a third dose of the vaccine. The third dose may still not provide full immunity to COVID-19 in people who are immunocompromised, and you should continue to maintain physical precautions to help prevent COVID-19. In addition, your close contacts should be vaccinated as appropriate.

What should you mention to your vaccination provider before you get the vaccine?

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection


Getting Ready for Your Second Dose

[Close all](#)

When do I receive my second dose of the vaccine?

The vaccine series is 2 doses given 3 weeks apart.

If you receive one dose of the vaccine, you should receive a second dose of this same vaccine 3 weeks later to complete the vaccination series.

 [REPORT AN ADVERSE EVENT TO PFIZER](#)

 [FACT SHEET FOR RECIPIENTS AND CAREGIVERS](#) 

- Patients should always ask their doctors for medical advice about adverse events.
- You are encouraged to report negative side effects of vaccines to the U.S. Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov/reportevent.html> or call [1-800-822-7967](tel:1-800-822-7967).

When you get your first dose, you should receive a vaccination card that indicates when to return for your second dose of the vaccine. Remember to bring your card when you return.

What if the second dose cannot be provided at 3 weeks (21 days)?

Per the Full EUA Prescribing Information, the second dose of the vaccine should be given 3 weeks after the first dose. For more information, contact your vaccination provider or the location where you received your first dose.

Are the Pfizer-BioNTech COVID-19 Vaccine and COMIRNATY® interchangeable with other COVID-19 vaccines?

There are no data available on the interchangeability of this vaccine with other COVID-19 vaccines to complete the vaccination series.

Knowing More About the Vaccine

[Close all](#)

Will the vaccine give me COVID-19?

No. The vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.

What are the risks of the vaccine?

There is a remote chance that the vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have

occurred in some people who have received COMIRNATY (Vaccine, mRNA) or the Pfizer BioNTech Vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:

- chest pain
- shortness of breath
- feelings of having a fast-beating, fluttering, or pounding heart

Side effects reported with the vaccine include:

- severe allergic reactions
- non-severe allergic reactions such as rash, itching, hives, or swelling of the face
- myocarditis (inflammation of the heart muscle)
- pericarditis (inflammation of the lining outside the heart)
- injection site pain
- tiredness
- headache
- muscle pain
- joint pain
- fever
- injection site swelling
- injection site redness
- nausea
- feeling unwell
- swollen lymph nodes (lymphadenopathy)
- diarrhea
- vomiting
- arm pain

These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials.

What should I do about side effects?

If you experience a severe allergic reaction or other severe symptom, call 9-1-1, or go to the nearest hospital.

Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS). The VAERS toll-free number is [1-800-822-7967](tel:1-800-822-7967) or report online to <https://vaers.hhs.gov/reportevent.html>. Please include "Pfizer-BioNTech COVID-19 Vaccine EUA" in the first line of box #18 of the report form.

In addition, you can report side effects to Pfizer Inc. at the contact information provided below.

Website: www.pfizersafetyreporting.com

Fax number: 1-866-635-8337

Telephone number: [1-800-438-1985](tel:1-800-438-1985)

Who should not get the vaccine?

You should not get the the vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

What are the ingredients in the vaccine?

The vaccine includes the following ingredients: mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.

Is there preservative in the vaccine?

No, the vaccine does not contain preservative.

Are the components of the vaccine vial made with latex?

The vial stoppers are not made with natural rubber latex.

How did Pfizer ensure diversity in conducting the vaccine clinical trial?

We are committed to ensuring that underrepresented populations participate in all our studies by sharing with our investigative sites the importance of recruiting people who fully represent the racial and ethnic diversity of their communities.

communities.

Individuals 16 years and older:

Approximately 42% of overall participants in the clinical study of the vaccine have racially and ethnically diverse backgrounds.

PARTICIPANTS	OVERALL STUDY
Asian	4.3%
Black	9.1%
Hispanic/LatinX	28%
Native American	0.5%

50.6% of participants are male and 49.4% are female

Data as of 11/14/2020

Individuals 12 to 15:

Approximately 23% of overall participants in the clinical study of the vaccine aged 12 through 15 have racially and ethnically diverse backgrounds.

PARTICIPANTS	OVERALL STUDY
Asian	6.4%
Black	4.6%
Hispanic/LatinX	11.7%
Native American/Alaska Native	0.4%

50.1% of participants are male and 49.9% are female

Data as of 3/13/2021

Where can I learn more?

For more information about COVID-19 vaccination, please visit the [CDC](#) or the [FDA](#) website.

Drives to <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html>

Drives to <https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/pfizer-biontech-covid-19-vaccine-frequently-asked-questions>

Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID 19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination.

- A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
- Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
- If you experience a severe allergic reaction, call 9 1 1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call [1 800 822 7967](tel:18008227967). In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling [1-800-438-1985](tel:18004381985).

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID 19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID 19 Vaccine, mRNA) is an FDA approved COVID 19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:

- prevent COVID-19 in individuals 12 through 15 years, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source – meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the Internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**
- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.

General Product Inquiries
Call [1-877-829-2619](tel:1-877-829-2619).

For more information

General Product Inquiries
Call [1-877-829-2619](tel:1-877-829-2619).

Medical Information
Visit PfizerMedicalInformation.com
or call [1-800-438-1985](tel:1-800-438-1985).

 **VISIT CDC.GOV***

Learn more about COVID-19 vaccination on the Centers for Disease Control and Prevention (CDC) website.

**This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.*



[Terms of Use](#) | [Privacy Policy](#) | [Contact Us](#)

© 2021 Pfizer Inc. All rights reserved. PP-CVV-USA-0349-01

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

Manufactured by
Pfizer Inc.
New York, NY 10017

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

[CDC VACCINE FINDER*](#)



What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.



[REPORT AN ADVERSE EVENT TO VAERS](#)

FDA-CBER-2021-5683-0951026



[REPORT AN ADVERSE EVENT TO PFIZER](#)

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Getting Your Vaccine

[Close all](#)

What if I am immunocompromised?

According to the Emergency Use Authorization Fact Sheet for Recipients and Caregivers, if you are immunocompromised, you may receive a third dose of the vaccine. The third dose may still not provide full immunity to COVID-19 in people who are immunocompromised, and you should continue to maintain physical precautions to help prevent COVID-19. In addition, your close contacts should be vaccinated as appropriate.

What should you mention to your vaccination provider before you get the vaccine?

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=14472&format=pdf>

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.

[REPORT AN ADVERSE EVENT TO VAERS](#)

[REPORT AN ADVERSE EVENT TO PFIZER](#)

FACT SHEET FOR RECIPIENTS AND CAREGIVERS

English

Updates to non-English Fact Sheet may be delayed.

Español

- Patients should always ask their doctors for medical advice about adverse events.
- You are encouraged to report negative side effects of vaccines to the U.S. Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov/reportevent.html> or call 1-800-822-7967.

Drives to <http://labeling.pfizer.com/ShowLabeling.aspx?id=15156>



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the vaccine is authorized by FDA, under a 2019 (COVID-19) for use in product is only authorized for authorization of emergency unless the declaration is terminated.

CDC VACCINE FINDER



You are now leaving the website.

Links to other websites are provided as a convenience to the viewer. Pfizer accepts no responsibility for the content of linked sites.

Cancel

Continue

Pop up appears when clicking on a URL that leaves the site

Drives to either:

<https://vaers.hhs.gov>

<https://www.vaccines.gov>

<https://www.cdc.gov/coronavirus/2019-ncov/vaccines/index.html>

<https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/comirnaty-and-pfizer-biontech-covid-19-vaccine-frequently-asked-questions>

Want to know about the vaccine

Frequently Asked Questions

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner




FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the vaccine is authorized by FDA, under a 2019 (COVID-19) for use in product is only authorized for authorization of emergency unless the declaration is terminated.

CDC VACCINE FINDER



You are being redirected to report an adverse event to Pfizer.

pop up appears when clicking on Report an Adverse Event to Pfizer

Drives to <https://www.pfizersafetyreporting.com/#/en>

What you need to know about the vaccine

Frequently Asked Questions

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

For more information

General Product Inquiries

Call [1-877-829-2619](tel:1-877-829-2619).

Medical Information

Visit PfizerMedicalInformation.com

or call [1-800-438-1985](tel:1-800-438-1985).



You are being redirected to the Pfizer Medical Information website for Patients and Caregivers.

Cancel

Continue

pop up appears when clicking on Visit PfizerMedicalInformation.com

Drives to <https://www.pfizermedicalinformation.com/en-us/patient/pfizer-biontech-covid-19-vaccine>

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

Manufactured by
Pfizer Inc.
New York, NY 10017

The Pfizer-BioNTech COVID-19 Vaccine, which

uses proprietary mRNA technology, was developed by both BioNTech and Pfizer

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. Information provided is for educational purposes only.

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner

BIONTECH



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

All mobile content reflects a responsive design to desktop

persistent ISI on every page here in mobile

Important Safety Information

All annotations on desktop apply to mobile

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Important Safety Information

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face;
 - myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit

<https://www.vaers.hhs.gov> or call

[1-800-822-7967](tel:1-800-822-7967). In addition, you can

report side effects to Pfizer Inc. at

www.pfizersafetyreporting.com, or by

calling [1-800-438-1985](tel:1-800-438-1985).

Please see full [Prescribing Information](#)

(16+ years of age) and [Recipient and](#)

[Caregiver Fact Sheet](#) (12+ years of age).

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FDCA, unless the declaration is terminated or authorization revoked sooner.

[Report an adverse event to VAERS*](#)

[Report an adverse event to Pfizer](#)

BIO

FD

16 Years & Up

AUTHORIZED USE

12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

BIONTECH**FDA APPROVED
16 Years & Up**[English](#)

Updates to non-English Fact Sheet may be delayed.

[Español](#)

The Vaccine is Approved for Use in Individuals Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Important Safety Information



You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any




FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

CDC VACCINE FINDER*



What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Getting Your Vaccine

[Open all](#)

What if I am immunocompromised? +

What should you mention to your vaccination provider before you get the vaccine? +

Getting Ready for Your Second Dose

[Open all](#)

When do I receive my second dose of the vaccine? +

What if the second dose cannot be provided at 3 weeks (21 days)? +

Are the Pfizer-BioNTech COVID-19 Vaccine and COMIRNATY® interchangeable with other COVID-19 vaccines? +

Knowing More About the Vaccine

[Open all](#)

Will the vaccine give me COVID-19? +

What are the risks of the vaccine? +

What should I do about side effects? +

Who should not get the vaccine? +

What are the ingredients in the vaccine? +

Is there preservative in the vaccine? +

Are the components of the vaccine vial made with latex? +

How did Pfizer ensure diversity in conducting the vaccine clinical trial? +

Where can I learn more? +

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.

[REPORT AN ADVERSE EVENT TO VAERS](#)

[REPORT AN ADVERSE EVENT TO PFIZER](#)

[FACT SHEET FOR RECIPIENTS AND CAREGIVERS](#)

- Patients should always ask their doctors for medical advice about adverse events.
- You are encouraged to report negative side effects of vaccinations to the U.S. Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov/reportevent.html> or call [1-800-822-7967](tel:1-800-822-7967).

Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call [1-800-822-7967](tel:1-800-822-7967). In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling [1-800-438-1985](tel:1-800-438-1985).

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source – meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the Internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**
- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.

For more information

General Product Inquiries
Call [1-877-829-2619](tel:1-877-829-2619).

Medical Information
Visit PfizerMedicalInformation.com or call [1-800-438-1985](tel:1-800-438-1985).

[VISIT CDC.GOV*](#)

Learn more about COVID-19 vaccination on the Centers for Disease Control and Prevention (CDC) website.

*This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.

Manufactured for BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany
Marketing Authorization Holder

Manufactured by Pfizer Inc.
New York, NY 10017

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

© 2021 Pfizer Inc. All rights reserved.

PP-CVV-USA-0349-01

[Terms of Use](#)

[Privacy Policy](#)

[Contact Us](#)

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.



FDA APPROVED
16 Years & Up

AUTHORIZED USE
12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

CDC VACCINE FINDER*



What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Getting Your Vaccine

[Open all](#)

What if I am immunocompromised? +

What should you mention to your vaccination provider before you get the vaccine? +

Getting Ready for Your Second Dose

[Open all](#)

When do I receive my second dose of the vaccine? +

What if the second dose cannot be provided at 3 weeks (21 days)? +

Are the Pfizer-BioNTech COVID-19 Vaccine and COMIRNATY® interchangeable with other COVID-19 vaccines? +

Knowing More About the Vaccine

[Open all](#)

Will the vaccine give me COVID-19? +

What are the risks of the vaccine? +

What should I do about side effects? +

Who should not get the vaccine? +

What are the ingredients in the vaccine? +

Is there preservative in the vaccine? +

Are the components of the vaccine vial made with latex? +

How did Pfizer ensure diversity in conducting the vaccine clinical trial? +

Where can I learn more? +

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.

[REPORT AN ADVERSE EVENT TO VAERS](#)

[REPORT AN ADVERSE EVENT TO PFIZER](#)

[FACT SHEET FOR RECIPIENTS AND CAREGIVERS](#)

English

Updates to non-English Fact Sheet may be delayed.

Español

- Patients should always ask their doctors for medical advice about adverse events.
- You are encouraged to report negative side effects of vaccinations to the U.S. Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov/reportevent.html> or call 1-800-822-7967.

Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
 - Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heart beat, a bad rash all over your body, dizziness, and weakness
 - If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital
- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart
- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face;
 - myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain
- These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away

There is no information on the use of this vaccine with other vaccines.

Patients should always ask their healthcare providers for medical advice about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source – meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the Internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**
- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.

For more information

General Product Inquiries
Call 1-877-829-2619.

Medical Information
Visit PfizerMedicalInformation.com or call 1-800-438-1985.

[VISIT CDC.GOV*](#)

Learn more about COVID-19 vaccination on the Centers for Disease Control and Prevention (CDC) website.

*This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content or services of this site.



Manufactured for BioNTech Manufacturing GmbH, An der Goldgrube 12, 55131 Mainz, Germany Marketing Authorization Holder

Manufactured by Pfizer Inc., New York, NY 10017

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.

© 2021 Pfizer Inc. All rights reserved.

PP-CVV-USA-0349-01

[Terms of Use](#)

[Privacy Policy](#)

[Contact Us](#)

This site is intended only for US residents. The products discussed in this site may have different product labeling in different countries. The information provided is for educational purposes only and is not intended to replace discussions with a healthcare provider.

FDA-CBER-2021-5683-0951036




FDA APPROVED 16 Years & Up

AUTHORIZED USE 12 Years & Up

The Vaccine is Authorized for Ages 12 Years & Up

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

CDC VACCINE FINDER*



What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

According to the FDA, "During a public health emergency, the FDA can use its Emergency Use Authorization (EUA) authority to allow the use of unapproved medical products, or unapproved uses of approved medical products, to diagnose, treat, or prevent serious or life-threatening diseases when certain criteria are met, including that there are no adequate, approved, and available alternatives."

Getting Your Vaccine

[Close all](#)

What if I am immunocompromised?

According to the Emergency Use Authorization Fact Sheet for Recipients and Caregivers, if you are immunocompromised, you may receive a third dose of the vaccine. The third dose may still not provide full immunity to COVID-19 in people who are immunocompromised, and you should continue to maintain physical precautions to help prevent COVID-19. In addition, your close contacts should be vaccinated as appropriate.

What should you mention to your vaccination provider before you get the vaccine?

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

Getting Ready for Your Second Dose

[Close all](#)

When do I receive my second dose of the vaccine?

The vaccine series is 2 doses given 3 weeks apart.

If you receive one dose of the vaccine, you should receive a second dose of this same vaccine 3 weeks later to complete the vaccination series.

When you get your first dose, you should receive a vaccination card that indicates when to return for your second dose of the vaccine. Remember to bring your card when you return.

What if the second dose cannot be provided at 3 weeks (21 days)?

Per the Full EUA Prescribing Information, the second dose of the vaccine should be given 3 weeks after the first dose. For more information, contact your vaccination provider or the location where you received your first dose.

Are the Pfizer-BioNTech COVID-19 Vaccine and COMIRNATY® interchangeable with other COVID-19 vaccines?

There are no data available on the interchangeability of this vaccine with other COVID-19 vaccines to complete the vaccination series.

Knowing More About the Vaccine

[Close all](#)

Will the vaccine give me COVID-19?

No. The vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.

What are the risks of the vaccine?

There is a remote chance that the vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received COMIRNATY® (Vaccine, mRNA) or the Pfizer-BioNTech Vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:

- chest pain
- shortness of breath
- feelings of having a fast-beating, fluttering, or pounding heart

Side effects reported with the vaccine include:

- severe allergic reactions
- non-severe allergic reactions such as rash, itching, hives, or swelling of the face
- myocarditis (inflammation of the heart muscle)
- pericarditis (inflammation of the lining outside the heart)
- injection site pain
- tiredness
- headache
- muscle pain
- joint pain
- fever
- injection site swelling
- injection site redness
- nausea
- feeling unwell
- swollen lymph nodes (lymphadenopathy)
- diarrhea
- vomiting
- arm pain

These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials.

What should I do about side effects?

If you experience a severe allergic reaction or other severe symptom, call 9-1-1, or go to the nearest hospital.

Call your vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS). The VAERS toll-free number is 1-800-822-7967 or report online to <https://vaers.hhs.gov/reportevent.html>. Please include "Pfizer-BioNTech COVID-19 Vaccine EUA" in the first line of box #18 of the report form.

In addition, you can report side effects to Pfizer Inc. at the contact information provided below.

Website: www.pfizersafetyreporting.com
Fax number: 1-866-635-8337
Telephone number: 1-800-438-1985

Who should not get the vaccine?

You should not get the vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

What are the ingredients in the vaccine?

The vaccine includes the following ingredients: mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2-[(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.

Is there preservative in the vaccine?

No, the vaccine does not contain preservative.

Are the components of the vaccine vial made with latex?

The vial stoppers are not made with natural rubber latex.

How did Pfizer ensure diversity in conducting the vaccine clinical trial?

We are committed to ensuring that underrepresented populations participate in all our studies by sharing with our investigative sites the importance of recruiting people who fully represent the racial and ethnic diversity of their communities.

Individuals 16 years and older:

Approximately 42% of overall participants in the clinical study of the vaccine have racially and ethnically diverse backgrounds.

PARTICIPANTS	OVERALL STUDY
Asian	4.3%
Black	9.1%
Hispanic/LatinX	28%
Native American	0.5%

50.6% of participants are male and 49.4% are female
Data as of 11/14/2020

Individuals 12 to 15:

Approximately 23% of overall participants in the clinical study of the vaccine aged 12 through 15 have racially and ethnically diverse backgrounds.

PARTICIPANTS	OVERALL STUDY
Asian	6.4%
Black	4.6%
Hispanic/LatinX	11.7%
Native American/Alaska Native	0.4%

50.1% of participants are male and 49.9% are female
Data as of 3/13/2021

Where can I learn more?

For more information about COVID-19 vaccination, please visit the [CDC](#) or the [FDA](#) website.

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS) and Pfizer Inc.

[REPORT AN ADVERSE EVENT TO VAERS](#)

[REPORT AN ADVERSE EVENT TO PFIZER](#)

[FACT SHEET FOR RECIPIENTS AND CAREGIVERS](#)

- Patients should always ask their doctors for medical advice about adverse events.
- You are encouraged to report negative side effects of vaccines to the U.S. Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://vaers.hhs.gov/reportevent.html> or call 1-800-822-7967.

Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant, plan to become pregnant, or are breastfeeding
- have received another COVID-19 vaccine
- have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

- There is a remote chance that the vaccine could cause a severe allergic reaction
 - A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your vaccination provider may ask you to stay at the place where you received your vaccine for monitoring after vaccination
- Signs of a severe allergic reaction can include difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness

- If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital

- Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. You should seek medical attention right away if you have any of the following symptoms after receiving the vaccine:
 - chest pain
 - shortness of breath
 - feelings of having a fast-beating, fluttering, or pounding heart

- Side effects that have been reported with the vaccine include:
 - severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face;
 - myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling;
 - injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); diarrhea; vomiting; arm pain

These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The vaccine is still being studied in clinical trials. Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

There is no information on the use of this vaccine with other vaccines.

Healthcare providers should ask their patients about adverse events. Report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800-822-7967. In addition, you can report side effects to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Please see full [Prescribing Information](#) (16+ years of age) and [Recipient and Caregiver Fact Sheet](#) (12+ years of age).

Authorized Use & Indication

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to:

- prevent COVID-19 in individuals 12 years of age and older, and
- provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

- It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older
- It is also authorized under Emergency Use Authorization (EUA) to be administered for emergency use to:
 - prevent COVID-19 in individuals 12 through 15 years, and
 - provide a third dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably to provide the COVID-19 vaccination series. An individual may be offered either COMIRNATY® (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine to prevent coronavirus disease 2019 (COVID-19) caused by SARS-CoV-2.

The emergency use of the product has not been approved or licensed by FDA, but has been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) for use in individuals 12 years of age and older; and the emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked sooner.

Vaccine Authenticity: What You Need to Know

Around the world, Pfizer and BioNTech are working in partnership with government agencies to safely and efficiently distribute the vaccine. **There are currently no legitimate COVID-19 vaccines produced by any manufacturer that are available for purchase by individuals.**

We urge everyone to be wary of any offers for COVID-19 vaccinations that do not come from an authorized source – meaning, from anyone other than a healthcare provider or local government health agency.

The vaccine:

- **Is NOT sold online.** Any sales of COVID-19 vaccines over the internet, including from online pharmacies, are not legitimate
- Cannot be purchased in individual doses
- **Is not taken by mouth and is not available in a capsule or tablet form**

- Can only be administered by licensed healthcare professionals at government-authorized vaccination centers – such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.

For more information

General Product Inquiries
Call 1-877-829-2619.

Medical Information
Visit PfizerMedicalInformation.com
or call 1-800-438-1985.

[VISIT CDC.GOV*](#)

Learn more about COVID-19 vaccination on the Centers for Disease Control and Prevention (CDC) website.

*This website is neither owned nor controlled by Pfizer, Pfizer does not endorse and is not responsible for the content or services of this site.



Manufactured for BioNTech Manufacturing GmbH, Mainz, Germany
Manufactured by Pfizer Inc., New York, NY 10017
Marketing Authorization Holder
The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech proprietary mRNA technology, was developed by both BioNTech and Pfizer.
© 2021 Pfizer Inc. All rights reserved.
PP-CVV-USA-0349-01
[Terms of Use](#)
[Privacy Policy](#)
[Contact Us](#)

authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated or authorization revoked

50



You are now leaving the website.

Links to other websites are provided as a convenience to the viewer. Pfizer accepts no responsibility for the content of linked sites.

Cancel

Continue

What you need to know about the vaccine

Frequently Asked Questions

What Is Emergency Use Authorization?

FDA-CBER-2021-5683-0951038

REPORT AN ADVERSE EVENT TO



You are now leaving the website.

Links to other websites
are provided as a
convenience to the
viewer. Pfizer accepts no
responsibility for the
content of linked sites.

Cancel

Continue

Important Safety Information and Authorized Use & Indication

You should **not** get the Pfizer-
BioNTech COVID-19 vaccine if you:

- had a severe allergic reaction after

FDA-CBER-2021-5683-0951039

Reporting System (VAERS) and Pfizer Inc.



REPORT AN ADVERSE EVENT TO VAERS



**You are being
redirected to report
an adverse event to
Pfizer.**

Cancel

Continue

Visit <https://vaers.hhs.gov/reportevent.html>
or call [1-800-822-7967](tel:1-800-822-7967).

Important Safety Information and Authorized Use & Indication

FDA-CBER-2021-5683-0951040
You should **not** get the Pfizer-
BioNTech COVID-19 vaccine if you:

- had a severe allergic reaction after

- Is not taken by mouth and is not available in a capsule or tablet form



**You are being
redirected to the
Pfizer Medical
Information website
for Patients and
Caregivers.**

Cancel

Continue

General Product Inquiries
Call 1-877-829-2619

Medical Information
Visit

[PfizerMedicalInformation.com](https://www.pfizer.com/medical-information)
or call 1-800-438-1985.

 **VISIT CDC.GOV***

Learn more about COVID-19
vaccination on the Centers for

FDA-CBER-2021-5683-0951041
Prevention (CDC) website.

centers - such as doctors' offices, authorized pharmacies, outpatient clinics, community vaccination locations, and hospitals.




You are now leaving the website.

Links to other websites are provided as a convenience to the viewer. Pfizer accepts no responsibility for the content of linked sites.

Cancel

Continue

 [VISIT CDC.GOV*](#)

Learn more about COVID-19 vaccination on the Centers for Disease Control and Prevention (CDC) website.

**This website is neither owned nor controlled by Pfizer. Pfizer does not endorse and is not responsible for the content of this site.*

FDA-CBER-2021-5683-0951042