



One Moderna Way • Norwood, MA 02062
Phone 617.714.6500 • Fax 617.583.1998

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40079
Manufacturer Name:	Moderna	Container/Closure:	Mobius (b) (4)
Manufacturer Lot:	4007921054		
Moderna Lot Number:	4007921054	Specification:	SPC-1149
Date of Manufacture:	05Aug2021	Expiry Date:	01Feb2022

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-1019	Identity		
Total RNA Content	SOP-0995	Total RNA Content		
Purity	SOP-0996	Purity		
		% IG1		
		% IG2		
% 5' Capped	SOP-0997	Cap1		
% Poly A Tailed and Tailless mRNA	SOP-0994	% Main Peak Area		
		% Pre-Main Peak		
Residual DNA template	SOP-1020	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: (b) (6)
Generated Date: 14-Oct-2021
Report: CommonCoA v1
Database: (b) (4)

Page 1 of 2

FDA-CBER-2022-1614-3815539
Page 1 of 3

Confidential and Proprietary



One Moderna Way • Norwood, MA 02062
Phone 617.714.6500 • Fax 617.583.1998

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40079
Manufacturer Name:	Moderna	Container/Closure:	Mobius (b) (4)
Manufacturer Lot:	4007921054		
Moderna Lot Number:	4007921054	Specification:	SPC-1149
Date of Manufacture:	05Aug2021	Expiry Date:	01Feb2022

Product Attribute	Method	Parameter	Specification	Result
Bioburden	SOP-0480	TAMC	(b) (4)	
		TYMC		

This material meets specification: Yes

Revision History:

1.0 Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: (b) (6)

Page 2 of 2

Generated Date: 14-Oct-2021

Report: CommonCoA v1

Database: (b) (4)

FDA-CBER-2022-1614-3815540
Page 2 of 3

Confidential and Proprietary

Document Approvals
Approved Date: 15 Oct 2021

Approval Verdict: Approved	(b) (6) [REDACTED] (b) (6) [REDACTED]@modernatx.com) Quality Control Approval 14-Oct-2021 22:37:21 GMT+0000
QA Approval Verdict: Approved	(b) (6) [REDACTED] (b) (6) [REDACTED]@modernatx.com) Quality Assurance Approval 15-Oct-2021 10:57:18 GMT+0000