

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 1: Stability Data for Product 60073, Lot 6007320009 at -20°C ± 5°C

Test	Method	Shelf-Life Acceptance Criteria	Release	3 Month	6 Months	9 Months	12 Months
Appearance	Visual	White to off-white dispersion.	White to off-white dispersion	-			
		May contain visible, white or translucent product-related particulates	Essentially Free of Particulates	-			
RNA Content	AEX-HPLC	(b) (4)		-			
Purity	RP-HPLC			(b) (4)			
Product-related Impurities	RP-HPLC						
% RNA Encapsulation	(b) (4)			-			
In vitro Translation	In vitro translation / methionine labelling			-			

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 1: Stability Data for Product 60073, Lot 6007320009 at -20°C ± 5°C (continued)

Test	Method	Shelf-Life Acceptance Criteria	Release	3 Month	6 Months	9 Months	12 Months
pH	USP <791>	(b) (4)		-			
Particle Size	Dynamic light scattering	(b) (4)					
Polydispersity							
Lipid Identification							
SM-102	UPLC-CAD	(b) (4)		-			
Cholesterol				-			
DSPC				-			
PEG2000-DMG				-			
Lipid Content							
SM-102	UPLC-CAD	(b) (4)		-			
Cholesterol				-			
DSPC				-			
PEG2000-DMG				-			
Lipid Impurities	UPLC-CAD	(b) (4)		-			
				-			

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 1: Stability Data for Product 60073, Lot 6007320009 at -20°C ± 5°C (continued)

Test	Method	Shelf-Life Acceptance Criteria	Release	3 Month	6 Months	9 Months	12 Months
Particulate Matter							
≥ 10 µm	USP <788> Method 2	(b) (4)		-			
≥ 25 µm				-			
Bacterial Endotoxins	USP <85>, Ph. Eur. 2.6.14			-			
Sterility	USP <71>, Ph. Eur. 2.6.1			-			
Container Closure Integrity	USP <1207>	Pass	-	-			

NT*: Not Tested. Refer to QE-005517 "-": Not applicable per the stability protocol

Future Timepoint

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 2: Stability Data for Product 60073, Lot 6007320009 at -20°C ± 5°C

Condition	Time Point	Test	Parameter	Shelf-Life Acceptance Criteria	Result
Release	Release	Lipid Impurities	(b) (4)		
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 3: Stability Data for Product 60073, Lot 6007320009 at 5°C ± 3°C

Test	Method	Shelf-Life Acceptance Criteria	Release	1 Month	3 Months	4 Months
Appearance	Visual	White to off-white dispersion.	White to off-white dispersion	-	White to off-white dispersion	-
		May contain visible, white or translucent product-related particulates	Essentially Free of Particulates	-	Essentially Free of Particulates	-
RNA Content	AEX-HPLC	(b) (4)		-	(b) (4)	-
Purity	RP-HPLC			NT*		(b) (4)
Product-related Impurities	RP-HPLC			NT*		
				NT*		
				NT*		
				NT*		
% RNA Encapsulation	(b) (4)			-		-
In vitro Translation	In vitro translation / methionine labelling	-	-			

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 3: Stability Data for Product 60073, Lot 6007320009 at 5°C ± 3°C (continued)

Test	Method	Shelf-Life Acceptance Criteria	Release	1 Month	3 Months	4 Months
pH	USP <791>	(b) (4)	(b) (4)	-	(b) (4)	-
Particle Size	Dynamic light scattering			NT*		(b) (4)
Polydispersity				NT*		
Lipid Identification						
SM-102	UPLC-CAD			-		-
Cholesterol				-		-
DSPC				-		-
PEG2000-DMG				-		-
Lipid Content						
SM-102	UPLC-CAD			-		-
Cholesterol				-		-
DSPC				-		-
PEG2000-DMG				-		-
Lipid Impurities	UPLC-CAD			-		-
				-		-
Sterility	USP <71>, Ph. Eur. 2.6.1		-	-	-	-

NT*: Not Tested, Refer to QE-005517 "-": Not applicable per the stability protocol

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 4: Stability Data for Product 60073, Lot 6007320009 at 5°C ± 3°C

Condition	Time Point	Test	Parameter	Shelf-Life Acceptance Criteria	Result
Release	Release	Lipid Impurities	(b) (4)		
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			

Stability Study : STY_00903

Lot Number: 6007320009

Product: 60073

Container: 10R Glass Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 20Nov2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 4: Stability Data for Product 60073, Lot 6007320009 at 5°C ± 3°C (continued)

Condition	Time Point	Test	Parameter	Shelf-Life Acceptance Criteria	Result
5°C ± 3°C	3 Month	Lipid Impurities	(b) (4)		
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			
5°C ± 3°C	3 Month	Lipid Impurities			