

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 1: Stability Data for Product 60079, Lot 6007920003 at -20°C ± 5°C

Test	Method	Shelf-Life Acceptance Criteria	Release	3 Months	6 Months	9 Months	12 Months
Appearance	Visual	White to off-white dispersion.	White to off-white dispersion	-			
		May contain visible, white or translucent product-related particulates	Essentially free of particulates	-			
RNA Content	AEX-HPLC	(b) (4)		-			
Purity	RP-HPLC	(b) (4)					
Product-related Impurities	RP-HPLC						
% RNA Encapsulation	(b) (4)	(b) (4)		-			
In vitro Translation	In vitro translation / methionine labelling			-			

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 1: Stability Data for Product 60079, Lot 6007920003 at -20°C ± 5°C (continued)

Test	Method	Shelf-Life Acceptance Criteria	Release	3 Months	6 Months	9 Months	12 Months
pH	USP <791>	(b) (4)		-			
Particle Size	Dynamic light scattering			NT*			
Polydispersity				NT*			
Lipid Identification							
SM-102	UPLC-CAD			-			
Cholesterol				-			
DSPC				-			
PEG2000-DMG				-			
Lipid Content							
SM-102	UPLC-CAD			-			
Cholesterol				-			
DSPC				-			
PEG2000-DMG				-			
Lipid Impurities	UPLC-CAD			-			
				-			

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 1: Stability Data for Product 60079, Lot 6007920003 at -20°C ± 5°C (continued)

Test	Method	Shelf-Life Acceptance Criteria	Release	3 Months	6 Months	9 Months	12 Months
Particulate Matter							
≥ 10 µm	USP <788> Method 2	(b) (4)	(b) (4)	-			
≥ 25 µm				-			
Bacterial Endotoxins	USP <85>, Ph. Eur. 2.6.14			-			
Sterility	USP <71>, Ph. Eur. 2.6.1			-			
Container Closure Integrity	USP <1207>	Pass	-	-			

NT*: Not Tested, Refer to QE-008189 "-": Not applicable per the stability protocol

Future Timepoint

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 2: Stability Data for Product 60079, Lot 6007920003 at -20°C ± 5°C

Condition	Time Point	Test	Parameter	Shelf-Life Acceptance Criteria	Result
Release	Release	Lipid Impurities	(b) (4)		
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 3: Stability Data for Product 60079, Lot 6007920003 at 5°C ± 3°C

Test	Method	Shelf-Life Acceptance Criteria	Release	1 Month	3 Months	4 Months
Appearance	Visual	White to off-white dispersion.	White to off-white dispersion	-	White to off-white dispersion	-
		May contain visible, white or translucent product-related particulates	Essentially free of particulates	-	Essentially free of particulates	-
RNA Content	AEX-HPLC	(b) (4)		-	(b) (4)	-
Purity	RP-HPLC			NT*		(b) (4)
Product-related Impurities	RP-HPLC			NT*		
				NT*		
				NT*		
				NT*		
% RNA Encapsulation	(b) (4)			-		-
In vitro Translation	In vitro translation / methionine labelling	-	-			

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 3: Stability Data for Product 60079, Lot 6007920003 at 5°C ± 3°C (continued)

Test	Method	Shelf-Life Acceptance Criteria	Release	1 Month	3 Months	4 Months	
pH	USP <791>	(b) (4)		-	(b) (4)	-	
Particle Size	Dynamic light scattering			NT*	NT**	(b) (4)	
Polydispersity				NT*	NT**		
Lipid Identification							
SM-102	UPLC-CAD			-	(b) (4)	-	
Cholesterol				-		-	
DSPC				-		-	
PEG2000-DMG				-		-	
Lipid Content							
SM-102	UPLC-CAD			-	(b) (4)	-	
Cholesterol				-		-	
DSPC				-		-	
PEG2000-DMG				-		-	
Lipid Impurities	UPLC-CAD			-	(b) (4)	-	
		-	-				

NT*: Not Tested, Refer to QE-005517 "-" : Not applicable per the stability protocol

NT**: Not Tested, Refer to QE-008189

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 4: Stability Data for Product 60079, Lot 6007920003 at 5°C ± 3°C

Condition	Time Point	Test	Parameter	Shelf-Life Acceptance Criteria	Result
Release	Release	Lipid Impurities	(b) (4)		
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			
Release	Release	Lipid Impurities			

Stability Study : STY_00900

Lot Number: 6007920003

Product: 60079

Container: 10R SiO2 Vial, 20 mm Stopper, 20 mm Cap

Manufacturing Date: 10Dec2020

Construct/mRNA Code: mRNA-1273

Manufacturing Site: Catalent Biologics, Bloomington, Indiana

Table 4: Stability Data for Product 60079, Lot 6007920003 at 5°C ± 3°C (continued)

Condition	Time Point	Test	Parameter	Shelf-Life Acceptance Criteria	Result
5°C ± 3°C	3 Months	Lipid Impurities	(b) (4)		
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			
5°C ± 3°C	3 Months	Lipid Impurities			