



CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40074
Manufacturer Name:	Moderna	Container/Closure:	Mobius (b) (4)
Manufacturer Lot:	4007420006		
Moderna Lot Number:	4007420006	Specification:	SPC-1149
Date of Manufacture:	10Nov2020	Expiry Date:	09May2021

Product Attribute	Method	Parameter	Specification	Result
Appearance	SOP-0278	Clarity	(b) (4)	
		Color		
		Particulates		
Identity	SOP-0492	Identity		
Total RNA Content	SOP-0995	Total RNA Content		
Purity	SOP-0996	Purity		
		% IG1		
		% IG2		
% 5' Capped	SOP-0997	Cap1		
% Poly A Tailed and Tailless mRNA	SOP-0994	% Main Peak Area		
		% Pre-Main Peak		
Residual DNA template	SOP-0491	Residual DNA Template		
pH	SOP-0288	pH		
Bacterial Endotoxins	USP <85>	Bacterial Endotoxins		
Bioburden	SOP-0480	TAMC		
		TYMC		

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 1 of 2

Generated Date: 15-Dec-2020

Document Number: VV-QUAL-006878 eDMS Version: 1.0 FDA-CBER-2022-1614-3815365



One Moderna Way • Norwood, MA 02062
Phone 617.714.6500 • Fax 617.583.1998

CERTIFICATE OF ANALYSIS

Product Description:	CX-024414	Moderna Part #:	40074
Manufacturer Name:	Moderna	Container/Closure:	Mobius (b) (4)
Manufacturer Lot:	4007420006		
Moderna Lot Number:	4007420006	Specification:	SPC-1149
Date of Manufacture:	10Nov2020	Expiry Date:	09May2021

Product Attribute	Method	Parameter	Specification	Result
-------------------	--------	-----------	---------------	--------

This material meets specification: Yes

Revision History:

1.0 - Original

CONFIDENTIAL - DO NOT DISTRIBUTE OUTSIDE OF MODERNATX, INC. WITHOUT WRITTEN PERMISSION

Generated By: Steven Anderson

Page 2 of 2

Generated Date: 15-Dec-2020

Document Number: VV-QUAL-006878 eDMS Version: 1.0 FDA-CBER-2022-1614-3815366